

The Nutritional Management  
of Attention Deficit Disorder,  
Attention Deficit/  
Hyperactivity Disorder,  
and Hyperactivity

Dr. Brian K. Applebee  
Chiropractic Physician  
MS in Human Nutrition

Copyright 2001, Dr. Brian K.  
Applebee

---

---

---

---

---

---

---

---

Hyperactivity Today

- ◊ 4-12% of schoolchildren diagnosed with ADHD
- ◊ more conservative diagnostic criteria for ADHD projected to lower this to 3%
- ◊ 20% of all children have some type of behavioral problem

Copyright 2001, Dr. Brian K.  
Applebee

---

---

---

---

---

---

---

---

ADHD Starts When?

- ◊ Higher incidence of hyperactivity in infants who:
  - don't like to be held
  - have poor or irregular sleep
  - have colic
  - have feeding problems

Copyright 2001, Dr. Brian K.  
Applebee

---

---

---

---

---

---

---

---

**Rationale for Effective Treatment**

- ◊ 25-60% of students with ADHD will drop out of school before high school graduation
- ◊ 25-60% will have contact with legal authorities
- ◊ Excessive alcohol use rates will be higher

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

**Rationale for Effective Treatment**

- ◊ Self esteem is often lower
- ◊ Interpersonal relationships will likely be strained
- ◊ Aggressiveness behavior appears to be a strong predictor of long-term poor social outcome

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

**Effective Evaluation Criteria**

- ◊ Evaluations must be conducted over 2-3 visits, by a qualified physician using the DSM 4 criteria
- ◊ In addition to behavioral observation, there should also be:
  1. Complete physical exam
  2. Complete neurological exam
  3. Learning capability exam

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

Proposed Etiology of ADHD

- ◊ Psychological factors
- ◊ Behavioral factors
- ◊ Genetic factors
  - ◊ 1. 1/3 of fathers (with ADHD as a youth) produced a child with ADHD
  - ◊ 2. A majority of identical twins both have ADHD
- ◊ Gender predisposition

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

Proposed Etiology of ADHD

- ◊ Cerebral neurotransmitter abnormalities: dopamine and serotonin
- ◊ Environmental pollutants such as lead
- ◊ Exposure to fluorescent lights
- ◊ Perinatal factors (maternal phenylketonuria)
- ◊ Smoking during pregnancy
- ◊ Parental behavior

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

Proposed Etiology of ADHD

- ◊ Hypersensitivity
- ◊ Allergy

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

**Hypersensitivity or Allergy?**

- ◊ Hypersensitivity
  - a non-allergenic reaction to the chemicals contained in food, possibly due to an inherited biochemical predisposition
  - can occur as a threshold response, or all-or-nothing response

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

**Hypersensitivity or Allergy?**

- ◊ Allergy
  - an immediate IgE mediated response where antibodies are produced, or
  - a delayed, lymphocyte mediated response involving gastrointestinal symptoms

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

**BOTH!!**

- ◊ Either hypersensitivity, or allergy, or a combination of both can occur

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

**Behavioral Toxicology**

- ◊ Challenging to isolate the effect of a single substance
- ◊ Difficult to isolate a nutritional effect from the placebo effect
- ◊ Difficult to completely remove psychotropic agents from the diet

Examples: soft drinks, tea, coffee

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

**Diet Affect**

- ◊ No substantial difference between the diets of hyperactive children and non-hyperactive children (ex.-sugar)
- ◊ Consistent sub-group of children who improve, and then exhibit symptoms when challenged with the offending foods

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

**No Single Cause and No Single Cure**

- ◊ Psychotropic prescription medications only effective while being taken—they provide no cure
- ◊ Dietary intervention demonstrates improvement in certain individuals
- ◊ Dietary intervention appears to have a longer lasting effect

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---


---

---

---

### Nutritional Recommendations

- ◊ 1-2 month trial of the Feingold diet
  - eliminate artificial colors (especially tartrazine)
  - eliminate artificial flavors
  - eliminate salicylates
    - ◊ ex.-almonds, apples, apricots



Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

### Nutritional Recommendations

- monitor vitamin C consumption
  - ◊ since high levels can reduce renal clearance of the salicylates
- monitor adequate protein intake
- monitor total nutrient intake

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

### Nutritional Recommendations

- ◊ A high protein/ low carbohydrate diet
- ◊ Supplement with:
  - ◊ Niacin
  - ◊ Thiamine
  - ◊ B6
  - ◊ Choline
  - ◊ Magnesium
  - ◊ Calcium

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

**Questionable Benefit?**

- ◊ Sugar reduction
- ◊ Copper
- ◊ Iron
- ◊ Magnesium
- ◊ Manganese
- ◊ Zinc

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

**Additional Therapies**

- ◊ Increasing physical activity
- ◊ Tutoring
- ◊ Family counseling
  - Increasing parent tolerance

Copyright 2001, Dr. Brian K. Applebee

---

---

---

---

---

---

---

---

**What Can the Physician Do?**

- ◊ Ensure the child has been accurately diagnosed
  - to rule out other diseases
  - to rule out the absence of any disease
- ◊ Perform a food allergy and sensitivity assessment
- ◊ Discuss dietary modification
- ◊ Recommend nutritional supplementation
- ◊ Recommend increased physical activity
- ◊ Refer for family counseling, remedial teaching, and psychiatric treatment

Copyright 2001, Dr. Brian K. Applebee

---

---

---


---

---

---

---

---



---

---

---

---

---

---

---

---